EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	80	eliminate same (forwarding adj (data information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 08:46
L2	41	1 and switch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 08:47
L3	2	"5905725".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 08:53
L4	108	("5448702" | "5457687" | "5491694" | "5521910").PN. OR ("5905725").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/03/03 08:54
L6	6884	370/389.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 10:27
L7	781	370/386.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 10:30
L8	462	370/388.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 10:30
L9	163	370/393.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 10:30

L10	1289	370/359.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 10:31
L11	0	10 and ((line adj interface) same (receive ingress reception) same (transmission transmit) same (packet frame "data unit" cell) same ports same processor same judge same incoming same (forward adj port) same (path adj switching) same impart same (eliminate adj (header adj information)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 10:37
L12	0	(line adj interface) same (receive ingress reception) same (transmission transmit) same (packet frame "data unit" cell) same ports same processor same judge same incoming same (forward adj port) same (path adj switching) same impart same (eliminate adj (header adj information)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 10:40
L14	109	"moriwaki norihiko"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 10:42
L16	0	6 and ((line adj interface) same (receive ingress reception) same (transmission transmit) same (packet frame "data unit" cell) same ports same processor same judge same incoming same (forward adj port) same (path adj switching) same impart same (eliminate adj (header adj information)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/03 10:54

S1	1	10/759237.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 13:35
S2	2	"5905725".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/22 13:41
S3	85	("5448702" | "5457687" | "5491694" | "5521910").PN. OR ("5905725").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/22 13:55
S4	85	("5448702" | "5457687" | "5491694" | "5521910").PN. OR ("5905725").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/22 14:03
S5	1	"7164698".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/22 14:22
S6	1	"6944168".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/22 14:22
S7	1	"7006504".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/22 14:23
S8	2	"6944168".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/03 01:00
S9	1174	router same (line adj interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 15:50
S10	1174	router same (line adj interface$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 15:50
S11	29628	r2 and processor$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 15:50

S12	882	S10 and processor$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 15:51
S13	650	S12 and port$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 15:51
S14	419	S13 and forward	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/10 15:51
S15	49	("5166926" | "5179552" | "5438566" | "5446738" | "5453979" | "5550816" | "5566170" | "5608719" | "5610912" | "5734649" | "5754791" | "5757795" | "5796715" | "5850395" | "5859788" | "5872783" | "5892923" | "5905723" | "5905725" | "5918074" | "5926626").PN. OR ("6160811").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/10 15:54
S16	17	("20020097725" | "20020174244" | "20030069973" | "20030126233" | "5734649" | "5864535" | "5905725" | "5918074" | "5974467" | "6160811" | "6243360" | "6424659" | "6553000" | "6671277" | "6775706" | "6870844" | "7065090").PN. OR ("7298752").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/10 15:57
S17	2	"7313142".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 12:18

S18	9	("20020131413" | "20030012198" | "20030231634" | "20050175005" | "6839346" | "6944168" | "6985964" | "7039013"). PN. OR ("7313142"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/13 12:19
S19	21	("5915025" | "6009102" | "6032190" | "6223172" | "6295604" | "6510159" | "6633571" | "6665297"). PN. OR ("6839346"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/13 12:22
S20	14	(delete erase remove) near (forwarding adj information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 12:35
S21	187	(delete erase remove) same (forwarding adj information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 12:37
S22	143	S21 and (router (routing adj device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 12:37
S23	5	S22 and (line adj interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 12:38
S24	9	("2002/0126671").URPN.	USPAT	OR	ON	2009/01/15 12:40
S25	12985	packet adj processing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 13:15
S26	2016	S25 and search and register$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 13:15

S27	110	S26 and (forwarding adj information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 13:15
S28	13	S27 and "line interface"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 13:15
S29	285	("4587610" | "4677550" | "4680700" | "4695949" | "4780816" | "4922417" | "4933937" | "5027350" | "5032987" | "5109336" | "5121495" | "5136580" | "5197002" | "5247620"). PN. OR ("5414704"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/15 13:16
S30	27810	"line interface"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 13:30
S31	158155	12and (router (routing adj device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 13:30
S32	5427	S30 and (router (routing adj device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 13:30
S33	574	S25 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 13:30
S34	511	S33 and processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 13:31

S35	359	S34 and controller	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 13:31
S36	333	S35 and switch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 13:31
S37	183	S36 and lookup	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 13:31
S38	589	370/278.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 14:35
S39	143	370/299.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 14:35
S40	7827	370/401.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 14:36
S41	800	370/419.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 14:37
S42	154233	(router (routing adj device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 14:37

S43	297	S41 and S42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 14:37
S44	225	S43 and processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 14:37
S45	213	(delete erase remove) same (route adj information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 15:04
S46	32	(delete erase remove) near (route adj information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 15:04
S47	473634	read and write	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 16:15
S48	6471	S47 and "line interface"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 16:17
S49	1906	S48 and (router (routing adj device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 16:18
S50	1641	S49 and port	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 16:18

S51	212	S50 and (packet adj processing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 16:19
S52	1	(delete erase remove) same (forwarding adj information) same "line interface"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/15 16:21
S53	988	port same function same Hash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/29 13:30
S54	66	S53 and (search adj key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/29 13:30
S55	623	S53 and switch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/29 13:31
S56	623	S55 and Hash	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/29 13:31
S57	380	S56 and (key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/29 13:32
S58	29	("5060228" | "5140585" | "5305321" | "5394402" | "5432907" | "5491687" | "5515376" | "5633865" | "5754532" | "5761440" | "5796944" | "5910955" | "5940376" | "6023563"). PN. OR ("6181702"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/29 13:44

S59	42	("5151897" | "5477547" | "5633865").PN. OR ("5910955").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/29 16:12
S60	2	"5905725".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/30 21:54
S61	104	("5448702" | "5457687" | "5491694" | "5521910").PN. OR ("5905725").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/30 21:54
S62	17	("20020097725" | "20020174244" | "20030069973" | "20030126233" | "5734649" | "5864535" | "5905725" | "5918074" | "5974467" | "6160811" | "6243360" | "6424659" | "6553000" | "6671277" | "6775706" | "6870844" | "7065090").PN. OR ("7298752").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/30 22:12
S63	2	"20040071142"	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/30 22:17
S64	1	"7394825".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/30 23:02
S65	2	"6289486".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 01:00
S66	2	"7376097".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 12:40
S67	2	"6684256".pn..pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 12:41
S68	2	"6684256".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 12:41

S69	0	allocate near (link adj layer adj adresses)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 13:05
S70	0	allocate near (link adj layer adj addresses)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 13:05
S71	0	allocate near (link adj layer adj address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 13:06
S72	10	allocate same (link adj layer adj address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/31 13:06

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	0	(line adj interface) same (receive ingress reception) same (transmission transmit) same (packet frame "data unit" cell) same ports same processor same judge same incoming same (forward adj port) same (path adj switching) same impart same (eliminate adj (header adj information)).clm.	USPAT; UPAD	OR	ON	2010/03/03 10:40
L15	20	"moriwaki norihiko"	USPAT; UPAD	OR	ON	2010/03/03 10:42

3/3/2010 11:30:30 AM
C:\ Documents and Settings\ dsamuel\ My Documents\ EAST\ Workspaces\ 10759237amend.wsp